

**ADDENDUM NUMBER 3**

**Project:** Additions and Renovations to  
Washington County VA Sheriff's Office  
CC Porter Animal Shelter  
27252 Porter Lane  
Abingdon, VA 24211

**Date:** September 23, 2021



The following revisions, deletions, additions, amendments, modifications, and clarifications are hereby made part of the Construction Documents for the Project referenced above and shall supersede or otherwise modify the original documents dated April 16, 2021 in the manner and to the extent stated below. Receipt of this Addendum shall be acknowledged in the space provided on the Bid Form.

**GENERAL**

1. The Closing Date for receipt of bids is **September 28, 2021 at 2:00 p.m.** Bidders are reminded to review Attachment 1, "Terms and Conditions of Bid" and to submit two (2) copies of bids, including Bid Bond and references, in accordance with this document.

**SPECIFICATIONS**

1. **Refer to Section 323113, "Chain Link fences and Gates":**

Under Part 2 - "Products", paragraph 2.2, "Chain-Link Fabric", delete requirement for polymer-coated fabric from sentence 2b. Fabric shall be zinc-coated, ASTM A392, Type II, Class 1 (1.2 oz./sq. ft.).

2. **Refer to Section 323113, "Chain Link fences and Gates":**

Under Part 2 - "Products", paragraph 2.3, "Fence Framework", delete requirement for polymer-coating over metallic coating. from sentence 7. Framework shall be zinc coated.

3. **Refer to Section 323113, "Chain Link fences and Gates":**

Under Part 2 - "Products", paragraph 2.4, "Tension Wire", delete requirement for polymer-coated fabric from sentence 1. Tension wire shall be metallic-coated steel wire, 0.177-inch diameter, tension wire according to ASTM 817 or ASTM A824 with a Type II zinc coated (galvanized) coating. Coating weight shall match the chain-link fabric coating weight.

**4. Refer to Section 323113, "Chain Link fences and Gates":**

Under Part 2 - "Products", paragraph 2.6, "Fittings", delete requirement for polymer-coated fabric from sentence 1a.

**DRAWINGS**

**1. Refer to Drawing C102, "Site Details":**

Under Chain-Link Fencing Notes, delete the requirement for fencing component materials and fabric to have a colored PVC coating. All fence components shall be zinc-coated (galvanized).

**2. Refer to Drawing A101, "Floor Plan":**

Change note regarding chain-link fencing to read; "6'-0" H. chain-link fencing." (Delete references to vinyl coating and color).

**3. Refer to Drawing A301, "Building Section":**

At Building Section Key Notes #2 and 3, delete the requirement for chain-link fencing to be vinyl coated. Delete references to fence colors.

**4. Refer to Drawing A302, "Wall Section":**

At Wall Section Key Notes #13, delete the requirement for chain-link fencing to be vinyl coated. Delete reference to fence color.

**END OF ADDENDUM NO. 2 (2 pages)**

